

Product Description

Temple-Inland® DamageGuard® Abuse-Resistant gypsum board is designed for use in high-traffic areas where abrasion resistance, indentation resistance and extra durability are desired. DamageGuard AR is a Type X gypsum board with a special heavyweight, bright-white face paper which may be finished and decorated in the same manner as regular gypsum board.

Advantages

- A Type X core with superior resistance to surface abuse, abrasion, indentation and impact
- Easily scored and snapped like conventional gypsum board, requiring no special tools for installation
- May be used in commercial and residential construction
- May be installed over wood or metal framing
- Easily accepts a wide range of decorative finishes
- Fire resistance classified by Underwriters Laboratories
- Available with up to 95% certified recycled content on a dry weight basis in accordance with ISO 14021 standards¹

Limitations

- For interior use only
- Avoid exposure to prolonged, extreme temperatures: 125°F (52°C)
- Avoid exposure to excessive or continuous moisture
- Should be stored, handled and installed to comply with industry standards ASTM GA216 & C840

Applicable Standards

- Meets or exceeds ASTM C1396
- Federal Specification SS-L-30D, Type III & Grade X
- Installation Standards ASTM C840, GA214 & GA216
- Surface Burning Characteristics ASTM E-84 Flame Spread 15 Smoke Developed 0

Submittal Approvals

JOB NAME: _____

CONTRACTOR: _____ DATE: _____

Product Data

WIDTH	LENGTH	THICKNESS / PRODUCT WEIGHT
4' (1219mm)	8' to 12' (2438mm to 3658mm)	5/8" (15.9mm) FRX, 2.3 lbs/ft ²

Special Order Information: Other widths, edges and lengths may be available on special order with established minimums and lead time. Some products may not be available in all markets. Please check with your local Temple-Inland sales representative.

1. The recycled content levels of board produced at our Cumberland City, Tennessee and West Memphis, Arkansas facilities are third-party verified by Scientific Certification Systems (SCS).

